

AMENDMENTS TO THE CLAIMS

Please cancel claims 13-15 without prejudice. Please accept amended claim 2 and new claims 16-21 as follows:

1. (Original) A liquid crystal display having a first substrate and a second substrate which are disposed with a predetermined gap therebetween, in which liquid crystal is sealed in said gap, comprising:

post structures for controlling the gap between said first substrate and said second substrate;

a sealing material provided outside a display area for sealing said liquid crystal in said gap, and forming an open injection hole for injecting said liquid crystal therethrough;

an end-sealing material for sealing said injection hole after said liquid crystal is sealed in; and

injection hole post structures provided in an area near said injection hole, for dividing said injection hole into a plurality of portions by using the same material as said post structures.

2. (Currently Amended) The liquid crystal display according to Claim 1, wherein said injection hole post structures divide the width of said injection hole into ~~100-300~~ 0.1 millimeter to 3 ~~mm~~ millimeters.

3. (Original) The liquid crystal display according to Claim 1, wherein said injection hole post structures are formed with a height lower than the height of the gap formed by said first substrate and said second substrate.

4. (Original) The liquid crystal display according to Claim 1, wherein said injection hole post structures are formed from a material which deteriorates the charge retention of said liquid crystal less than said sealing material.

5. (Original) The liquid crystal display according to Claim 1, wherein said injection hole post structures are formed at a position where part of them are in contact with said end-sealing material.

6. (Original) A liquid crystal display, comprising:

a sealing material for connecting a pair of substrates outside the display area, and forming an open injection hole for injecting liquid crystal therethrough;

an end-sealing material for sealing said injection hole after said liquid crystal is injected;

and

a penetration suppressor provided near a connection portion between said sealing material and said end-sealing material for suppressing the penetration of a pollutant generated from said connection portion into said display area.

7. (Original) The liquid crystal display according to Claim 6, wherein said sealing material has a projecting portion formed by bending said sealing material at an acute angle when said injection hole is formed.

8. (Original) The liquid crystal display according to Claim 7, wherein said penetration suppressor is a pair of post structures which is close to said projecting portion and extending from the vicinity of the substrate end in said injection hole to said display area.

9. (Original) A liquid crystal display in which liquid crystal is sealed in the gap formed by a pair of substrates to display pictures on a display area, comprising:

post members formed, after a pattern, on one substrate of said pair of substrates for controlling said gap;

a sealing material provided outside said display area for sealing said liquid crystal in said gap, and forming an open injection hole for injecting said liquid crystal therethrough;

an end-sealing material for sealing said injection hole after said liquid crystal is sealed in;
and

a plurality of injection hole post structures provided between the substrate end in said injection hole and said display area on said one substrate, and formed after a pattern similarly to said post members, for preventing the pollutant seeped from said end-sealing material from penetrating into said display area.

10. (Original) The liquid crystal display according to Claim 9, wherein said plurality of injection hole post structures forms injection hole post structures of a plurality of rows toward said display area from a position close to the substrate end in said injection hole.

11. (Original) The liquid crystal display according to Claim 10, wherein those of the injection hole post structures forming said plurality of rows which are close to the substrate end in said

injection hole are disposed at the position where they are in contact with said end-sealing material.

12. (Original) A liquid crystal display having a first substrate and a second substrate which are disposed with a predetermined gap therebetween, in which liquid crystal is sealed in said gap, comprising:

a sealing material provided outside a display area for sealing said liquid crystal in said gap, and forming an open injection hole for injecting said liquid crystal therethrough; and

a plurality of injection hole post structures provided in an area near said injection hole at a distance D from said display area, and respectively disposed with a predetermined space therebetween, wherein said predetermined space formed by said plurality of injection hole post structures is shorter than double said distance D.

13-15. (Cancelled)

16. (New) The liquid crystal display according to Claim 1, wherein adjacent injection hole post structures are separated by a width that is at least double a predetermined expansion distance of a pollutant from the end-sealing material, wherein a distance to the display area is greater than double the width.

17. (New) The liquid crystal display according to Claim 1, wherein said first substrate is a color filter substrate and said second substrate is an array substrate.

18. (New) The liquid crystal display according to Claim 6, wherein said penetration suppressor is formed with a height lower than a height of a gap formed between the pair of substrates.

19. (New) The liquid crystal display according to Claim 6, wherein said pair of substrates comprises a color filter substrate and an array substrate.

20. (New) The liquid crystal display according to Claim 9, wherein injection hole post structures are formed with a height lower than a height of a gap formed between the pair of substrates.

21. (New) The liquid crystal display according to Claim 9, wherein said first substrate is a color filter substrate and said second substrate is an array substrate.